



E60HN-15PSAB/001/HN E60HN-15AVSO/020/HN Sales@Mishkumi.com Sales Support: 877-745-4450

Part #	Description	MSRP
A-NC	Atdec Notebook Cart. Supports notebooks up to 15.6". Gas strut assisted height adjustment for sit/stand applications. Lockawable work surface, high quality, soft edged and lockable casters for stability and floor protection. Min height 34.3" to max height 47".	\$1,637.00
L-PW	Levitate Desk Single 2kg to 8kg screens. Combo Desk Clamp & Bolt Through mounting options. Maximum display reach 525mm, display height 555mm. Supports displays with Vesa mounting hole configurations of 75 x 75 or 100 x 100mm	\$335.00
SD-FS-T	Spacedec Triple. Supports up to three monitors weighing up to 8kg each. Maximum screen width to 635mm & height to 450mm. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Desk Mounting Options: Freest&ing or Bolt Through	\$475.00
SD-FS-H	Spacedec Hex. Supports up to six monitors weighing up to 8kg each. Maximum screen width to 635mm & height to 450mm. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Desk Mounting Options: Freest&ing or Bolt Through	\$811.00
SD-SA-DK-S	Spacedec Acrobat Swing Arm. Combo Desk Clamp & Bolt Through mounting options, Max 9kg, Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm, Max reach 375mm	\$251.00
SD-AT-DW-BK	Spacedec Acrobat Articulated Arm Wall Combo. Desk Clamp & Bolt Through mounting options, Max 9kg on arm, Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm, Max reach 635mm	\$321.00
SD-WD	Spacedec Display Wall Direct. Supports max weight of 25kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Distance from wall 77mm. Quick release mechanism.	\$111.00
SD-POS-VBM	Spacedec Display POS Multi. Supports max weight of 20kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Height to centre of mount is 330mm. Quick release mechanism. Internal cable management.	\$223.00
SD-POS-VBM-B2B	Spacedec Display POS Multi Back to Back. Requires 1 x SD-POS-VBM to complete unit, sold separately. Supports max weight of 20kg per mount. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Height to centre of mount is 330mm. Quick release mechanism.	\$153.00
SD-POS-HA	Spacedec Display POS Height Adjustable. Supports max weight of 20kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Height to centre of mount is min 330mm to max 455mm. Quick release mechanism. Internal cable management.	\$251.00
SD-POS-HA-B2B	Spacedec Display POS Height Adjustable Back to Back. Requires 1 x SD-POS-HA to complete unit, sold separately. Supports max weight of 20kg per mount. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Height to centre of mount is min 330mm to max 455mm. Quick release mechanism.	\$153.00
SD-DO	Spacedec Display Quickshift Donut. Suitable for a 42 or 55mm pole (not included). Supports max weight of 12kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Quick release mechanism.	\$139.00
SD-DP-420	Spacedec Display Donut Pole 420mm. Includes 420mm pole length & one quickshift donut plus combo desk clamp & bolt through mounting options - additional donuts sold separately. Donut details as above. Internal cable management.	\$167.00
SD-DP-750	Spacedec Display Donut Pole 750mm. Includes 750mm pole length & one quickshift donut plus combo desk clamp & bolt through mounting ptions - additional donuts sold separately. Donut details as above. Internal cable management.	\$195.00
SD-DP-1150	Spacedec Display Donut Pole 1150mm. Includes 1150mm pole length & one quickshift donut plus combo desk clamp & bolt through mounting options - additional donuts sold separately. Donut details as above. Internal cable management.	\$251.00
VF-AT	Visidec Focus Articulated Arm. Combo desk clamp & bolt through mounting options. Supports max weight of 8kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Advanced cable management.	\$209.00
VF-AT-D	Visidec Focus Articulated Arm Double. Combo desk clamp & bolt through mounting options. Supports max weight of 8kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Advanced cable management.	\$349.00
VF-M	Visidec Focus Micro. Combo desk clamp & bolt through mounting options. Supports max weight of 8kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. 345mm display height adjustment. Advanced cable management.	\$195.00
VF-AT-AA	Visidec Focus Accessory Arm. Supports max weight of 8kg. Can be used with the Focus Single, Micro & Notebook Pole. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm.	\$153.00
VF-AT-W	Visidec Focus Articulated Arm Wall. Supports max weight of 8kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Max arm reach is 454mm. Min distance from wall is 109mm. Height adjustment range 128mm.	\$209.00
VF-WD	Visidec Focus Wall Direct. Supports max weight of 8kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Distance from wall is 94mm.	\$83.00
VF-AT-NK	Visidec Focus Notebook Accessory. Can be used with the Focus Single & Micro. Supports max weight of 8kg. Advanced cable management.	\$181.00
VF-AT-NP	Visidec Focus Notebook Pole & Tray. Supports max weight of 8kg. Height adjustment range of 340mm. Advanced cable management.	\$279.00
VF-AT-NBC	VISIDEC Focus Notebook + Monitor Combo. The monitor & laptop display can be positioned side by side for a dual screen configuration or separated for detail examination & group work	\$377.00

Reference: Nov. 2016 Page 1 of 4





E60HN-15PSAB/001/HN E60HN-15AVSO/020/HN Sales@Mishkumi.com Sales Support: 877-745-4450

Part #	Description	MSRP
VP-0001-590	Visidec Focus Pole Accessory. Supports max weight of 8kg. Longer single pole of 590mm. Sold Seperately. Can be used with any of the Visidec Focus Pole Mounts, complete Model listed above is required to complete unit.	\$55.00
VFS-DH	Visidec Freest&ing Double Horizontal. Supports max weight of 12kg per mount. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Pole height is 475mm. Internal cable management. Quick release mechanism.	\$335.00
VFS-DV	Visidec Freest&ing Double Vertical. Supports max weight of 12kg per mount. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Pole height is 764mm. Internal cable management. Quick release mechanism.	\$335.00
VFS-Q	Visidec Freest&ing Quad. Supports max weight of 12kg per mount. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Pole height is 475mm. Internal cable management. Quick release mechanism.	\$629.00
TH-1026-VF	Telehook 1026 Wall Fixed. Supports max weight to 30kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm, Ultra slim profile 14.5mm.	\$55.00
TH-2250-VF	Telehook 2250 Wall Fixed. Supports max weight to 50kg. Mounting hole pattern or Vesa of 50×50 , 75×75 , 100×100 , 120×180 , $200 \times 100 \times 200$ mm. Ultra slim profile 16.5mm.	\$83.00
TH-3060-LPF	Telehook 3060 Wall Ultra Slim Fixed. Supports max weight to 65kg. Mounting hole pattern or Vesa of 100 to 810mm wide & 100 to 500mm high. Ultra slim profile of 14mm.	\$139.00
TH-3060-UF	Telehook 3060 Wall Low Profile Fixed. Supports max weight to 50kg. Mounting hole pattern or Vesa of 100 to 600mm wide & 46 to 420mm high. Distance from wall 26mm.	\$83.00
TH-3070-UF	Telehook 3070 Wall Fixed. Supports max weight to 91kg. Mounting hole pattern or Vesa of 180 to 800mm wide & 125 to 500mm high. Distance from wall 34mm. Theft resistant design (padlock not incl.).	\$125.00
TH-3070-UFP	Telehook 3070 Wall Portrait Fixed. Supports max weight to 70kg. Mounting hole pattern or Vesa of 200 to 600mm wide & 200 to 600mm high. Distance from wall 33mm. Theft resistant design (padlock - not incl.).	\$195.00
TH-40100-UF	Telehook 40100 Wall Flush Supportsd max weight to 150kg and up to 100" in size. Its low profile design supports the display just 39mm (1.5") from the wall while a range of pre and post installation adjustment features, including spacers for uneven surface mounting, help to simplify the installation process. Incorporating a lockable security bar and robust steel construction adds additional security in challenging public environments.	\$223.00
TH-2040-VTR	Telehook 2040 Wall Tilt. Supports max weight to 25kg. Mounting hole pattern or Vesa of 75 x 75, 100 x 100, 200 x 100 & 200 x 200mm. Distance from wall of 77mm.	\$125.00
TH-2250-VTP	Telehook 2250 Wall Tilt Pan. Supports max weight to 30kg. Mounting hole pattern or Vesa of 75 x 75, 100 x 100, 200 x 100 & 200 x 200mm. Distance from wall of 82mm.	\$83.00
TH-3060-LPT	Telehook 3060 Wall Ultra Slim Tilt. Supports max weight to 50kg. Mounting hole pattern or Vesa of 200 to 800mm wide & 100 to 500mm high. Ultra slim profile of 25mm. Allows for +15 degree tilt adjustment	\$181.00
TH-3060-UT	Telehook 3060 Wall Low Profile Tilt. Supports max weight to 50kg. Mounting hole pattern or Vesa of 100 to 600mm wide & 75 to 405mm high. Distance from wall 57mm. Allows +15 /-5 degree tilt adjustment.	\$97.00
TH-3070-UT	Telehook 3070 Wall Tilt. Supports max weight to 91kg. Mounting hole pattern or Vesa of 180 to 800mm wide & 125 to 500mm high. Distance from wall 72.5mm. Theft resistant design (padlock- not incl). Adjustable tilt.	\$139.00
TH-3070-UTP	Telehook 3070 Wall Portrait Tilt. Supports max weight to 70kg. Mounting hole pattern or Vesa of 200 to 800mm wide & 200 to 400mm high. Max/Min Tilt adjustment 15 degrees. Distance from wall to rear of display 130mm. Theft resistant design (padlock not incl.).	\$223.00
TH-1040-VFL	Telehook 1040 Wall Ultra Slim - New Model. Supports max weight to 27kg. Mounting hole pattern or Vesa of 100 x 100, 200 x 100 & 200 x 200mm. Minimum distance from wall 46mm. Maximum arm reach 490mm	\$153.00
TH-2050-UFL	Telehook 2050 Wall Ultra Slim - New Model. Supports max weight to 25kg. Mounting hole pattern or Vesa of 200 to 400mm wide & 100 to 400mm high. Minimum distance from wall 38mm. Maximum arm reach 535mm.	\$307.00
TH-3060-UFL	Telehook 3060 Wall Ultra Slim - New Model. Supports max weight to 35kg. Mounting hole pattern or Vesa of 200 to 700mm wide & 100 to 500mm high. Minimum distance from wall 49mm. Maximum arm reach 625mm.	\$391.00
TH-3070-UFL	Telehook 3070 Wall Full Motion Low Profile Scissor Arm Supports max weight to 60kg. Mounting hole pattern or Vesa of 200 to 800mm wide & 500 to 400mm high. Minimum distance from wall when folded 42mm. Maximum arm reach 515mm	\$349.00
TH-1040-VFM	Telehook 1040 Wall Full Motion. Supports max weight of 25kg. Mounting hold pattern or Vesa of 75 x 75, 100 x 100, 200 x 100 or 200 x 200mm. Max reach from wall is 444mm. Min distance from wall is 102mm	\$195.00
TH-2050-VFM	Telehook 2050 Wall Full Motion. Supports max weight of 35kg. Mounting hold pattern or Vesa of 100 x 100, 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300 or 400 x 400mm. Max reach from wall is 540mm. Min distance from wall is 110mm	\$265.00
TH-3270-UFM	Telehook 3270 Wall Full Motion. Supports max weight of 65kg. Mounting hole pattern or Vesa of 180 to 800mm wide & 125 to 500mm distance from wall is 174mm. Advanced cable management.	\$517.00
TH-1026-CT	Telehook 1026 Ceiling Light - New Model. Supports max weight of 15kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100mm. Adjustable range 940-1595mm from ceiling to centre of display.	\$251.00

Reference: Nov. 2016 Page 2 of 4





E60HN-15PSAB/001/HN E60HN-15AVSO/020/HN Sales@Mishkumi.com Sales Support: 877-745-4450

Part #	Description	MSRP
TH-1040-CTS	Telehook 1040 Ceiling Tilt Short 400-900mm. Supports max weight of 25kg. Mounting hole pattern or Vesa of 75 x 75 or 100 x 100, 200 x 100 or 200 x 200mm. Adjustable range 400-900mm from ceiling. Display 360 degree rotation around the pole.	\$335.00
TH-1040-CTL	Telehook 1040 Ceiling Tilt Long 900-1800mm. Supports max weight of 25kg. Mounting hole pattern or Vesa of 75 x 75 or 100×100 , 200×100 or 200×200 mm. Adjustable range 900-1800mm from ceiling. Display 360 degree rotation around the pole.	\$363.00
TH-1040-CT-DV	Telehook 1040 Ceiling Double Vertical Accessory - New Model. Used in conjunction with either the short TH-1040-CTS or long TH-1040-CTL bracket, sold separately. To enable a 2nd screen to be installed onto the st&ard Model	\$167.00
TH-1040-RCA	Telehook 1040 Raked Ceiling Accessory. Used in conjunction with either the short TH-1040-CTS or long TH-1040-CTL bracket, sold separately. Suitable for any angled ceiling up to 45 degrees.	\$83.00
TH-1040-CT-B2B	Telehook 1040 Back to Back Accessory. Used in conjunction with either the short TH-1040-CTS or long TH-1040-CTL bracket, sold separately. Easily converts a single display mount into a back to back configuration. Max weight 25kg per mount.	\$153.00
TH-3070-CTW	Telehook 3070 Ceiling Tilt. Supports max weight of 91kg. Mounting hole pattern or Vesa of 180 to 685mm wide & 100 to 430mm high. Adjustable range of 220mm to 2 metres from ceiling to centre of display. Allows display to rotate 360 degrees.	\$559.00
TH-3070-CTW-BB	Telehook 3070 Ceiling Tilt Back to Back. Used in conjunction with the TH-3070-CTW, sold separately. Easily converts a single display mount into a back to back configuration. Max weight 91kg per mount.	\$293.00
TH-3070-CTW-EXT- 1M	TELEHOOK 3070 Ceiling Tilt extension 1M long This Model is an extension pole for use with the Telehook TH-3070-CTW or TH-3070-CTW-BB Ceiling Display Mount. It adds 1m to the drop length on either & is designed for simple assembly.	\$153.00
TH-3070-CTS	Telehook 3070 Ceiling Tilt Short 500-950mm. Max weight 65kg per screen. Supports universal hole configurations of 200-800mm wide & 200-500mm high. Max drop of 900mm to centre of screen.	\$447.00
TH-3070-CTL	Telehook 3070 Ceiling Tilt Long 1000-1900mm. Max weight 65kg per screen. Supports universal hole configurations of 200-800mm wide & 200-500mm high. Max drop of 1900mm to centre of screen.	\$489.00
TH-3070-CT-B2B	Telehook 3070 Ceiling Tilt Back to Back. Used in conjunction with the TH-3070-CTS or CTL, sold separately. Easily converts a single display mount into a back to back configuration. Max weight 65kg per mount.	\$139.00
TH-PCP	Telehook ProAV Projector Accessories - Ceiling Plate, Cover & Hardware. Enables extension Poles to be mounted to the ceiling (TH-POPA-1825, & 2448 plus TH-PPE-24). Also suitable for use with st&ard 1.5" NPT poles. Quick & easy installation, integrated cable management.	\$55.00
TH-PF	Telehook Ceiling ProAV Projector Flush Versatile mount that can be mounted flush to the ceiling or attached to extension Poles (sold separately). Supports max weight 25kg, Allows for up to 7mm of height adjustment at each mounting point, 30 degree rotation adjustment, 5 degree left & right roll adjustment & 10 degree downward & upward tilt max pending projector size.	\$209.00
TH-PFK	Telehook Ceiling ProAV Projector Flush Kit. Includes mount, 3" NPT pole, ceiling plate & cover. Supports max weight 25kg, Allows for up to 7mm of height adjustment at each mounting point, 30 degree rotation adjustment, 5 degree left & right roll adjustment & 20 degree downward & upward tilt. can be upgraded with extension poles if additional drop is required (sold separately).	\$265.00
TH-PPA-1825	Telehook Ceiling ProAV Projector Pole Accessory. Connects to projector mounts, ceiling adaptors & extension poles that use st&ard 1.5" NPT thread surface. Adjustment range of up to 178mm in 25mm increments, Min drop length 457mm & max of 635mm. Designed for use with the TH-PCP, TH-PF & can also be added to the other pole accessories TH-PPA-2448 & TH-PPE-24)	\$125.00
TH-PPA-2448	Telehook Ceiling ProAV Projector Pole Accessory. Connects to projector mounts, ceiling adaptors & extension poles that use st&ard 1.5" NPT thread surface. Adjustment range of up to 610mm in 25mm increments, Min drop length 610mm & max of 1220mm. Designed for use with the TH-PCP, TH-PF & can also be added to the other pole accessories TH-PPA-1825 & TH-PPE-24)	\$167.00
TH-PPE-24	Telehook Ceiling ProAV Projector Pole Accessory Extension. Connects to projector mounts, ceiling adaptors & extension poles that use st&ard 1.5" NPT thread surface. Drop length 610mm. Designed for use with the TH- PCP, TH-PF & can also be added to the other pole accessories TH-PPA-1825 & TH-PPA-2448).	\$111.00
TH-PS-S	Telehook Wall ProAV Projector Ultra Short Throw. Supports projectors up to 25kg. Universal mounting interface suits most ultra short & short throw projectors. Max extension from wall of 762mm & min of 177mm. Arm pitch +/-5 degrees, Mount pitch +/-20 degrees, Roll +/5 degrees & Rotation 360 degrees.	\$475.00
TH-PS-D	Telehook Wall ProAV Projector Ultra Short Throw. The Telehook ProAV TH-PS-D is a highly versatile wall projector mount designed for use with short throw projectors. It extends from as little as 7.5" (189mm) from the wall all the way up to up to 55" (1397mm). It can be fixed to a dual timber stud or masonry walls (single stud model also available).	\$713.00
TH-WH-PJ-FM	Telehook Projector Ceiling Flush . Supports max weight to 15kg. Distance from ceiling is 127mm. Quick attachment/release mechanism.	\$139.00

Reference: Nov. 2016 Page 3 of 4





E60HN-15PSAB/001/HN E60HN-15AVSO/020/HN Sales@Mishkumi.com Sales Support: 877-745-4450

Part #	Description	MSRP
TH-WH-PJ-CM	Telehook Projector Ceiling Pole. Supports max weight to 15kg. Adjustable pole allows min distance from ceiling of 400mm to	\$181.00
TH-PT8	max of 900mm. Quick attachment/release mechanism. Projector Suspended Ceiling Tile 24x8	\$139.00
TH-PT24	Projector Suspended Ceiling Tile 24x84	\$223.00
	Telehook Desk Furniture Mount. Supports 1 display, weighing up to 35kg. Supports universal mounting hole pattern of 100-	QZZ5100
TH-FM	600mm wide & 100-400mm high. Lockable tilt, Pole rotation & maximum screen height of 436mm to centre of screen. Bolt through only.	\$195.00
TH-EMC	Telehook Floor Motorised TV Cart. Supports max weight to 50kg. Supports universal mounting hole pattern of 200-800mm wide & 200-450 high. Motorised height adjustment extends from 1m to 1.45m from centre of display.	\$1,665.00
TH-TVCB	Telehook Floor TV Cart. Supports max weight to 50kg. Supports universal mounting hole pattern of 200-800mm wide & 200-600 high. Portrait to Landscape rotation. Minimum display height 1120mm & maximum of 1820mm.	\$1,119.00
TH-TVCB-CM	Telehook TV Cart Camera Shelf Accessory. Offers a high range of movement at all 3 pivot points, integrated cable management. Max weight 5kg. 615mm of tool-less height adjustment. 180 degress of pan at pivot points. 25 degree of forward tilt.	\$251.00
TH-TVCD	Telehook Floor TV Cart Dual. Supports max weight to 50kg per mount. Supports universal mounting hole pattern of 200-900mm wide & 200-600 high. Minimum screen widh per mount is 946mm. Minimum display height 1230mm & maximum of 1830mm.	\$2,099.00
TH-TVCH	Telehook Floor Heavy Duty TV Cart. Supports max weight to 125kg. Supports universal mounting hole pattern of 200-800mm wide & 200-800 high. Minimum display height 1184mm & maximum of 1884mm.	\$1,301.00
TH-TVS	Telehook TV Cart Shelf Accessory. Maximum weight 5kg. All fasteners included. Shelf size 553 x 500mm. Can be used with TH-TVCB, TH-TVCD, TH-TVCH.	\$181.00
TH-VWV	Telehook Wall Universal Video Wall - Vertical Rail Set. 1 set of rails per display required, used in conjunction TH-VWP-100 or 160 wall plates (all sold seperately). Max weight 165kg per display. Vesa Support: Horizontal is unlimited, Vertical is 200-400mm Height Adjustment +/- 5mm. Landscape Only.	\$209.00
TH-VWP-100	Telehook Wall Universal Video Wall. Used in conjunction with TH-VWV & TH-VWP-100 if needed (all sold seperately). Max weight 165kg per display. Vesa Support: Horizontal is unlimited, Vertical is 200-400mm Height Adjustment +/- 5mm. Landscape Only. Interlocking wall plates for easy installation.	\$223.00
TH-VWP-160	Telehook Wall Universal Video Wall. Used in conjunction with TH-VWV & TH-VWP-160 if needed (all sold seperately). Max weight 165kg per display. Vesa Support: Horizontal is unlimited, Vertical is 200-400mm Height Adjustment +/- 5mm. Landscape Only. Interlocking wall plates for easy installation.	\$279.00
AC-AP-2010	Accessory Adaptor Plate 200 x 100mm Converts 75 x 75mm mounting pattern to 200 x 100mm. Must take into consideration the weight of plate & screen when checking which bracket to use plate with.	\$55.00
AC-AP-4040	Telehook Accessory Adaptor Plate 400 x 400mm. Converts 200 x 200mm mounting pattern found on a variety of models & increases the mounting interface to: 200 x 300, 200 x 400, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300 & 400 x 400mm. Must take into consideration the weight of plate & screen when checking which bracket to use plate with.	\$111.00
AC-AP-IP23	Accessory Adaptor Plate/Mount to suit iPad 2, & New iPad 3 & 4. This adaptor mount is a mounting accessory that enables the iPad to be attached to any compliant Vesa mount with a mounting hole configuration of 75 x 75mm. It features a snap on mounting systems that allows for rapid attachment & removal.	\$55.00
VTB-FD	The VTB-FD flexible desk mount is the perfect mounting solution for tablet computers, including the full iPad® range. It is suitable for use with any tablet from 7" to 10" in size and weighing up to 1.2kgs (2.6lbs). It allows for fluid movement via the 500mm (19.6") long flexible shaft and can be used in both portrait and landscape mode via the rotating mounting head. The VTB-FD comes pre-assembled for quick and easy installation and includes a dedicated iPad adaptor as well as an adjustable universal tablet adapter.	\$97.00
VTB-IPS	The Visidec VTB-IPS is a versatile tablet stand for the iPad 2, iPad 3 (The New iPad), and iPad 4 (with Retina display) that dramatically enhances usability of the iPad whilst also providing additional protection from bumps and scratches. It enables the iPad to be comfortably seated on a desk, rested on your lap or even B16be attached to the headrest of a car	\$83.00
VTB-US	The Visidec VTB-US is a versatile tablet stand for 7"-10" tablet computers. It dramatically enhances usability of the device whilst also providing additional protection from bumps and scratches. It enables the tablet to be comfortably seated on a desk, rested on your lap or even be attached to the headrest of a car (via the included car headrest attachment).	\$83.00
SPXF101-02	Spacepole X-Frame Fixed - Code is Suitable for iPad 2,3 & 4 (not 1 or mini), also available to order for other br&ed tablets & iPad Mini (contact office). Secure lightweight 2 piece frame that clamps around tablet.	\$419.00
SPXF102-02	Spacepole X-Frame Portrait - Landscape Rotation (left or right) - Code is Suitable for iPad 2,3 & 4 (not 1 or mini), also available to order for other br&ed tablets & iPad Mini (contact office). Secure lightweight 2 piece frame that clamps around tablet.	\$503.00
SPXF201-02	SpacePole X-Frame DuraTilt Pole / Samsung	\$419.00
SPXF202-02	SpacePole X-Frame DuraTilt Pole / Samsung Galaxy 1&2 Tablet Mount / Portrait to Landscape Rotation	\$503.00

Reference: Nov. 2016 Page 4 of 4